

What is claimed is:

[c1] 1. A multi-processor digital set top box (STB), comprising:
a first processor for performing essentially all real time functions within the STB;
and
a second processor for performing essentially all non-real time functions within the STB.

[c2] 2. The STB according to claim 1, further comprising:
a memory operatively connected to a bus for temporarily storing received audiovisual data packets of a broadcast, wherein each of said first and second processors are also operatively connected to said bus;
a recording device for digitally recording said audiovisual data packets, and for transmitting said digitally recorded data packets to said memory; and
a decoder for decoding said audiovisual data packets for display on a display device.

[c3] 3. The STB according to claim 2, wherein the recording device includes at least one mass storage device.

[c4] 4. The STB according to claim 3, wherein said mass storage device is at least one of a hard disc drive, magnetic storage device or optical storage medium.

[c5] 5. The STB according to claim 2, wherein said first processor is a transport processor operatively connected to said bus and to an input port for receiving said audiovisual data packets from said input port.

[c6] 6. The STB according to claim 5, wherein said second processor is a host processor operatively connected to said bus and said memory for performing graphical-user interface (GUI) and browser functions; the STB further comprising:

an interface for receiving said audiovisual data packets from said transport processor, and for transferring said received audiovisual data packets simultaneously to said memory via said bus, and to said decoder,

said memory further including a buffer space for temporarily storing the audiovisual data packets received from said interface,

said host processor directing said memory to transfer said audiovisual data packets to be digitally recorded by said recording device, and

said interface adapted to receive said digitally recorded data packets from said recording device via said memory and said bus.

[c7] 7. The STB according to claim 6, said interface being further adapted to transfer said digitally recorded data packets to said decoder.

[c8] 8. The STB according to claim 1, wherein said real time functions performed by said first processor include controlling audiovisual data packets input to the STB, controlling conditional access within said audiovisual data packets, and controlling program guide data input to the STB.

[c9] 9. The STB according to claim 1, wherein said non-real time functions performed by said second processor include controlling graphical user interface (GUI) and browser functions to enable a user to send command data to the STB and to manipulate data on a screen of a display that is operatively connected to the STB.

[c10] 10. The STB according to claim 1, wherein the first processor perform real-time functions while the second processor performs non-real time functions associated with commands received from a user.

[c11] 11. The STB according to claim 10, wherein said user commands are transmitted to said second processor via a remote control device.

[c12] 12. The STB according to claim 1, wherein the STB is embodied as a digital video recorder (DVR).

[c13] 13. A digital video recording (DVR) device, comprising:
a transport processor for performing essentially all real time functions within the DVR, including controlling audiovisual data packets input to the DVR, controlling conditional access within said audiovisual data packets, and controlling program guide data input to the DVR; and
a host processor for performing essentially all non-real time functions within the DVR, including controlling graphical user interface (GUI) and browser functions to enable a user to send command data to the DVR and to manipulate data on a screen of a display that is operatively connected to the DVR.

[c14] 14. The DVR according to claim 13, further comprising:
a memory operatively connected to a bus for temporarily storing audiovisual data packets of a broadcast that are received from an input port, wherein each of said transport and host processors are also operatively connected to said bus;
a recording device for digitally recording said audiovisual data packets, and for transmitting said digitally recorded data packets to said memory; and
a decoder for decoding said audiovisual data packets for display on a display device.

[c15] 15. The DVR according to claim 14, wherein the recording device includes at least one mass storage device.

[c16] 16. The DVR according to claim 15, wherein said mass storage device is at least one of a hard disc drive, magnetic storage device or optical storage medium.

[c17] 17. The DVR according to claim 14, further comprising:

an interface for receiving audiovisual data packets that are sent from said input port to said transport processor, and for transferring said received audiovisual data packets simultaneously to said memory via said bus, and to said decoder,

said memory further including a buffer space for temporarily storing the audiovisual data packets received from said interface,

said host processor directing said memory to transfer said audiovisual data packets to be digitally recorded by said recording device, and

said interface adapted to receive said digitally recorded data packets from said recording device via said memory and said bus.

[c18] 18. The DVR according to claim 13, wherein the transport processor performs said real-time functions while the host processor performs non-real time functions associated with commands that are received from a user.

[c19] 19. The DVR according to claim 18, wherein said user commands are transmitted to said host processor via a remote control device.

[c20] 20. The DVR according to claim 13, wherein the DVR is operatively connected to at least one of a direct broadcast satellite system, digital video broadcast system, cable-TV system and off-air broadcast system.

[c21] 21. A processing method for a digital set top box (STB), comprising:
performing essentially all real time functions in a first processing within the STB;
and
performing essentially all non-real time functions in a second processing within the STB.

[c22] 22. The method according to claim 21, further comprising:
temporarily storing received audiovisual data packets of a broadcast that are subject to at least said first processing, wherein each of said first and second

processings are performed by communicating with designated components of the STB via a data bus;

digitally recording said received audiovisual data packets that have been subject to said at least first processing and temporarily stored;

retrieving said digitally recorded audiovisual data packets based on at least said second processing; and

decoding said retrieved audiovisual data packets for display.

[c23] 23. The method according to claim 22, wherein said real time functions performed by said first processing include controlling audiovisual data packets input to the STB, controlling conditional access within said audiovisual data packets, and controlling program guide data input to the STB.

[c24] 24. The method according to claim 22, wherein said non-real time functions performed by said second processing include controlling graphical user interface (GUI) and browser functions, thereby enabling a user to send command data to the STB and to manipulate data on a screen of a display that is operatively connected to the STB.

[c25] 25. A processing method for a digital video recorder (DVR), comprising:
a first processing that includes controlling audiovisual data packets that are received by the DVR, controlling conditional access within said received audiovisual data packets, and controlling program guide data input to the DVR; and

a second processing that includes controlling graphical user interface (GUI) and browser functions, thereby enabling a user to send command data to the DVR and to manipulate data on a screen of a display that is operatively connected to the DVR.

[c26] 26. The method according to claim 25, further comprising:
temporarily storing received audiovisual data packets of a broadcast that are subject to at least said first processing, wherein each of said first and second

processings are performed by communicating with designated components of the STB via a data bus;

digitally recording said received audiovisual data packets;

retrieving said digitally recorded audiovisual data packets based on at least said second processing; and

decoding said retrieved audiovisual data packets for display on said screen.

[c27] 27. A system, comprising:

a transmitter for transmitting a content signal, wherein the content signal is digitally encoded and converted to a frequency signal before transmission; and

a set top box (STB) for converting the received frequency signal back into the content signal and for processing the content signal, the STB including:

a first processor for performing essentially all real time functions associated with the received content signal within the STB; and

a second processor for performing essentially all non-real time functions associated with the received content signal within the STB.

[c28] 28. The system of claim 27,

wherein the content signal is embodied as a plurality of audiovisual data packets,

wherein the real time functions performed by the first processor include controlling audiovisual data packets that are received by the STB from the system, controlling conditional access within said received audiovisual data packets, and controlling program guide data input to the STB from the system; and

wherein the non-real time functions performed by the second processor include controlling graphical user interface (GUI) and browser functions that enable a user of the system to send command data to the STB.

[c29] 29. The system of claim 28, wherein the STB further comprises:

a memory operatively connected to a bus within the STB for temporarily storing said received audiovisual data packets, wherein each of said first and second processors are also operatively connected to said bus;

a recording device for digitally recording said audiovisual data packets, and for transmitting said digitally recorded data packets to said memory; and

a decoder for decoding said audiovisual data packets for display on a display device.

[c30] 30. A satellite-based distribution system, comprising:

a transmitter for transmitting a content signal, wherein the content signal is digitally encoded and converted to a frequency signal before transmission to a satellite; and

a digital video recorder (DVR) for converting the frequency signal received from the satellite back into the content signal and for processing the content signal, the DVR including:

a first processor for performing essentially all real time functions associated with the received content signal within the DVR; and

a second processor for performing essentially all non-real time functions associated with the received content signal within the DVR.

[c31] 31. The system of claim 30,

wherein the content signal is embodied as a plurality of audiovisual data packets, wherein the real time functions performed by the first processor include controlling audiovisual data packets that are received by the DVR from the system, controlling conditional access within said received audiovisual data packets, and controlling program guide data input to the DVR from the system; and

wherein the non-real time functions performed by the second processor include controlling graphical user interface (GUI) and browser functions that enable a user of the system to send command data to the DVR.

[c32] 32. The system of claim 31, wherein the DVR further comprises:

a memory operatively connected to a bus within the DVR for temporarily storing said received audiovisual data packets, wherein each of said first and second processors are also operatively connected to said bus;

a recording device for digitally recording said audiovisual data packets, and for transmitting said digitally recorded data packets to said memory; and

a decoder for decoding said audiovisual data packets for display on a display device operatively connected to the DVR.

[c33] 33. A method of processing data, comprising:
transmitting a content signal received from a signal source, wherein the content signal is digitally encoded and converted to a frequency signal before transmission;
converting the received frequency signal back into the content signal; and
processing the received content signal within a set top box (STB), said processing including:

performing essentially all real time functions associated with the received content signal in a first processing within the STB; and

performing essentially all non-real time functions associated with the received content signal in a second processing within the STB.

[c34] 34. The method of claim 33, wherein the received content signal is embodied as a plurality of audiovisual data packets, the method further comprising:

temporarily storing said received audiovisual data packets that are subject to at least said first processing, wherein each of said first and second processings are performed by communicating with designated components of the STB via a data bus;

digitally recording said received audiovisual data packets that have been subject to said at least first processing and temporarily stored;

retrieving said digitally recorded audiovisual data packets based on at least said second processing; and

decoding said retrieved audiovisual data packets for display.

[c35] 35. The method according to claim 34, wherein said real time functions performed by said first processing include controlling audiovisual data packets input to the STB, controlling conditional access within said audiovisual data packets, and controlling program guide data input to the STB.

[c36] 36. The method according to claim 34, wherein said non-real time functions performed by said second processing include controlling graphical user interface (GUI) and browser functions, thereby enabling a user of the system to send command data to the STB and to manipulate data on a screen of a display that is operatively connected to the STB.

[c37] 37. A processing method within a satellite-based distribution system, comprising:

transmitting a content signal received from a signal source, wherein the content signal is digitally encoded and converted to a frequency signal before transmission to the satellite; and

converting the frequency signal received from the satellite back into the content signal and processing the content signal within a digital video recorder (DVR), said processing including:

performing essentially all real time functions associated with the received content signal in a first processing within the DVR; and

performing essentially all non-real time functions associated with the received content signal in a second processing within the DVR.

[c38] 38. The method of claim 37, wherein the content signal is embodied as a plurality of audiovisual data packets, wherein the real time functions performed by said first processing include controlling audiovisual data packets that are received by the DVR from the system, controlling conditional access within said received audiovisual data packets, and controlling program guide data input to the DVR from the system; and

wherein the non-real time functions performed by said second processing include controlling graphical user interface (GUI) and browser functions that enable a user of the system to send command data to the DVR.

[c39] 39. The method of claim 38, further comprising:

temporarily storing said received audiovisual data packets that are subject to at least said first processing, wherein each of said first and second processings are performed by communicating with designated components of the DVR via a data bus;

digitally recording said received audiovisual data packets that have been subject to said at least first processing and temporarily stored;

retrieving said digitally recorded audiovisual data packets based on at least said second processing; and

decoding said retrieved audiovisual data packets for display.

[c40] 40. A transmission system, comprising:

a transmitter for transmitting a content signal, wherein the content signal is digitally encoded and converted to a frequency signal before transmission, converted back into the content signal upon reception and processed by performing essentially all real time functions associated with the content signal, separate from essentially all non-real time functions associated with the content signal.

[c41] 41. The transmission system of claim 40,

wherein the content signal is embodied as a plurality of audiovisual data packets, wherein the real time functions include controlling audiovisual data packets that are received, controlling conditional access within said received audiovisual data packets, and controlling program guide data; and

wherein the non-real time functions include controlling graphical user interface (GUI) and browser functions.

[c42] 42. A satellite-based transmission system, comprising:

a transmitter for transmitting a content signal, wherein the content signal is digitally encoded and converted to a frequency signal before transmission, converted back into the content signal upon reception and processed by performing essentially all real time functions associated with the content signal, separate from essentially all non-real time functions associated with the content signal.

[c43] 43. The satellite-based transmission system of claim 42,
wherein the content signal is embodied as a plurality of audiovisual data packets
wherein the real time functions include controlling audiovisual data packets that are
received, controlling conditional access within said received audiovisual data packets,
and controlling program guide data; and
wherein the non-real time functions include controlling graphical user interface
(GUI) and browser functions.

[c44] 44. A method of processing data, comprising:
transmitting a content signal, wherein the content signal is digitally encoded and
converted to a frequency signal before transmission, converted back into the content
signal upon reception and processed by performing essentially all real time functions
associated with the content signal, separate from essentially all non-real time functions
associated with the content signal.

[c45] 45. The method according to claim 44, wherein said real time functions
include controlling audiovisual data packets, controlling conditional access within said
audiovisual data packets, and controlling program guide data.

[c46] 46. The method according to claim 44, wherein said non-real time
functions include controlling graphical user interface (GUI) and browser functions,
thereby enabling a user to enter command data and to manipulate data on a screen of a
display.

[c47] 47. A processing method within a satellite-based distribution system,
comprising:
transmitting a content signal, wherein the content signal is digitally encoded and
converted to a frequency signal before transmission, converted back into the content
signal upon reception and processed by performing essentially all real time functions
associated with the content signal, separate from essentially all non-real time functions
associated with the content signal.

[c48] 48. The method of claim 47, wherein said real time functions include controlling audiovisual data packets, controlling conditional access within said audiovisual data packets, and controlling program guide data.

[c49] 49. The method of claim 48, further comprising decoding said retrieved audiovisual data packets for display.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000